Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012. Date of issue: 03/28/2014 Revision date: 03/28/2014 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking **Product identifier** 1.1. : SERVICE PRO NON-CHLORNATED BRAKE CLEANER Product name : SP4655 Product code Relevant identified uses of the substance or mixture and uses advised against 1.2. Use of the substance/mixture : Brake Cleaner. Details of the supplier of the safety data sheet 1.3. The Penray Companies, Inc. Manufactured for: 440 Denniston Ct. AIOD 60090 Wheeling, IL P.O. Box 1861 T (800) 373-6729 Montrose, CO 81402 970-240-4176 1.4. **Emergency telephone number** Emergency number : (800) 373-6729 CHEMTREC (800) 424-9300 CHEMTREC International +1 (703) 527-3887 24 hr SECTION 2: Hazards identification 2.1. Classification of the substance or mixture **GHS-US** classification Flammable Liquid 2 Skin irritation 2 Eye irritation 2A Reproductive toxicity 2 (developmental) Specific target organ toxicity - Single exposure 3 Specific target organ toxicity - Repeated exposure 2 Aspiration hazard 1 Label elements 22 **GHS-US** labelling Hazard pictograms (GHS-US) GHS02 GHS07 GHS08 Signal word (GHS-US) Danger : Hazard statements (GHS-US) Highly flammable liquid and vapor. Causes skin irritation. Causes serious eye irritation. Suspected of damaging the unborn child. May cause drowsiness or dizziness. May cause damage to organs through prolonged or repeated. May be fatal if swallowed and enters airways. Precautionary statements (GHS-US) Keep away from heat/sparks/open flames/hot surfaces.- No smoking. Keep container tightly closed. Ground/Bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Wash hands thoroughly after handling. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves/protective clothing/eye protection/face protection. Use only outdoors or in a well-ventilated area. Do not breathe gas/mist/vapors/spray. If exposed or concerned: Get medical advice/attention. If on skin (or hair): Take off immediately all contaminated clothing and wash it before reuse. Rinse skin with water/shower. If skin irritation occurs: Get medical advice/attention. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor if you feel unwell. If swallowed: Immediately call a poison center/doctor. Do NOT induce vomiting. Store in a well-ventilated place. Keep container tightly closed. Store locked up. Keep cool. Dispose of contents and container in accordance with all local, regional, national and international regulations. 2.3. **Other hazards** No additional information available Unknown acute toxicity (GHS-US) 2.4

17 % of the mixture consists of ingredient(s) of unknown acute toxicity.

EN (English)



Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

Name	Product identifier	%	GHS-US classification
Acetone	(CAS No) 67-64-1	40 - 70	Flam. Liq. 2 Eye Irrit. 2A STOT SE 3
Heptane, branched, cyclic and linear	(CAS No) 426260-76-6	15 - 40	Flam. Liq. 2 Skin Irrit. 2 STOT SE 3 Asp. Tox. 1
n-Heptane	(CAS No) 142-82-5	10 - 30	Flam. Liq. 2 Skin Irrit. 2 STOT SE 3
Xylenes (o-, m-, p- isomers)	(CAS No) 1330-20-7	7 - 13	Flam. Liq. 3 Acute Tox. 4 (Dermal, Inhalation) Skin Irrit. 2
Toluene	(CAS No) 108-88-3	0.5 - 1.5	Flam. Liq. 2 Acute Tox. 4 (Oral) Skin Irrit. 2 Repr. 2 STOT SE 3 STOT RE 2 Asp. Tox. 1

The exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of §1910.1200.

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures after inhalation	: If inhaled and if breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell.
First-aid measures after skin contact	: In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and shoes. Wash clothing before reuse. Call a physician if irritation develops and persists.
First-aid measures after eye contact	: In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lenses, if worn. If irritation persists, get medical attention.
First-aid measures after ingestion	: If swallowed, do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get immediate medical advice/attention.
4.2. Most important symptoms and effe	cts, both acute and delayed
Symptoms/injuries after inhalation	: May cause drowsiness, dizziness and central nervous system depression. May cause respirator irritation.
Symptoms/injuries after skin contact	: Causes skin irritation. Symptoms may include redness, edema, drying, defatting and cracking of the skin.
Symptoms/injuries after eye contact	: Causes serious eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva.
Symptoms/injuries after ingestion	: May be fatal if swallowed and enters airways. This product may be aspirated into the lungs and cause chemical pneumonitis. May cause stomach distress, nausea or vomiting.

4.3. Indication of any immediate medical attention and special treatment needed

Symptoms may not appear immediately. In case of accident or if you feel unwell, seek medical advice immediately (show the label or SDS where possible).

SECTI	ON 5: Firefighting measures	
5.1.	Extinguishing media	
Suitable	extinguishing media	: Powder, water spray, foam, carbon dioxide.
Unsuitat	ble extinguishing media	: Do not use a heavy water stream.
5.2.	Special hazards arising from the	substance or mixture
Fire haz	ard	: Products of combustion may include, and are not limited to: oxides of carbon.
5.3.	Advice for firefighters	
Protectio	on during firefighting	: Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA). Vapours may be heavier than air and may travel along the ground to a distar ignition source and flash back. Use water spray to keep fire-exposed containers cool.

SECTION 6: Accidental release measures			
6.1.	6.1. Personal precautions, protective equipment and emergency procedures		
Genera	measures	: Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel. Eliminate sources of ignition.	



Safety Data Sheet according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

6.2. Methods and materi	al for containment a	and cleaning up	
For containment			material (e.g. sand, vermiculite), then place in a suitable ow to enter waterways. Use appropriate Personal
Methods for cleaning up	:	Scoop up material and place in a disp	oosal container. Provide ventilation.
6.3. Reference to other s	sections		
See section 8 for further information	ation on protective cl	othing and equipment and section 13	for advice on waste disposal.
SECTION 7: Handling a	nd storage		
7.1. Precautions for safe	handling		
Precautions for safe handling		breathe gas/mist/vapors/spray. Do no	No smoking. Avoid contact with skin and eyes. Do not at swallow. Handle and open container with care. Use only be eat, drink or smoke. Use only outdoors or in a well-
Hygiene measures	:	Launder contaminated clothing before	e reuse. Wash hands before eating, drinking, or smoking.
7.2. Conditions for safe	storage, including a	any incompatibilities	
Storage conditions		Keep out of the reach of children. Kee Store locked up. Keep cool. Keep awa	ep container tightly closed and in a well-ventilated place. ay from heat, sparks, and flame.
7.3. Specific end use(s)			
Not available.			
SECTION 8: Exposure of	ontrols/person	al protection	
8.1. Control parameters			
Acetone (67-64-1)			-
USA ACGIH	ACGIH TWA (ppm)	500 ppm
USA ACGIH	ACGIH STEL (ppm	n)	750 ppm
USA OSHA	OSHA PEL (TWA)	(mg/m³)	2400 mg/m³
USA OSHA	OSHA PEL (TWA)	(ppm)	1000 ppm
n-Heptane (142-82-5)			
USA ACGIH	ACGIH TWA (ppm)	400 ppm
USA ACGIH	ACGIH STEL (ppm	n)	500 ppm
USA OSHA	OSHA PEL (TWA)	(mg/m³)	2000 mg/m ³
USA OSHA	OSHA PEL (TWA)	(ppm)	500 ppm
Xylenes (o-, m-, p- isomers)	(1330-20-7)		
USA ACGIH	ACGIH TWA (ppm)	100 ppm
USA ACGIH	ACGIH STEL (ppm	, n)	150 ppm
USA OSHA	OSHA PEL (TWA)		435 mg/m ³
USA OSHA	OSHA PEL (TWA)		100 ppm
		(PP)	
Toluene (108-88-3)			
USA ACGIH	ACGIH TWA (ppm)	20 ppm
USA OSHA	OSHA PEL (TWA)	(ppm)	200 ppm
USA OSHA	OSHA PEL (STEL)) (ppm)	150 ppm
USA OSHA	OSHA PEL (Ceilin	g) (ppm)	300 ppm
8.2. Exposure controls			
Appropriate engineering control		Use ventilation adequate to keep expression recommended exposure limits.	osures (airborne levels of dust, fume, vapor, etc.) below
Personal protective equipment	:	Avoid all unnecessary exposure.	
Hand protection		Wear chemically resistant protective g	5
Eye protection : Safety glasses or goggles are recommended		mended when using product.	
Skin and body protection		Wear suitable protective clothing.	
Respiratory protection	Respiratory protection : A NIOSH approved respirator is recommended in poorly ventilated areas or when per exposure limits may be exceeded. Respirator selection must be based on known or ar exposure levels, the hazards of the product and the safe working limits of the selected		espirator selection must be based on known or anticipated
Environmental exposure control	ls :	Maintain levels below Community env	vironmental protection thresholds.
03/28/2014		EN (English)	3/7



Safety Data Sheet according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

Other information

: Do not eat, smoke or drink where material is handled, processed or stored. Wash hands carefully before eating or smoking. Handle according to established industrial hygiene and safety practices.

SECTION 9: Physical and chemical properties		
9.1. Information on basic physical and chemical properties		
Physical state	: Liquid	
Appearance	: Clear.	
Colour	: Colourless.	
Odour	: Solvent.	
Odour threshold	: No data available.	
рН	: No data available.	
Relative evaporation rate (butylacetate=1)	: No data available.	
Melting point	: No data available.	
Freezing point	: No data available.	
Boiling point	: ~ 56 °C (~ 133 °F) (Acetone)	
Flash point	: ~ -20 °C (~ -4 °F) (Acetone)	
Self ignition temperature	: No data available.	
Decomposition temperature	: No data available.	
Flammability (solid, gas)	: Flammable	
Vapour pressure	: No data available.	
Relative vapour density at 20 °C	: No data available.	
Relative density	: 0.730 - 0.745	
Solubility	: No data available.	
Log Pow	: No data available.	
Log Kow	: No data available.	
Viscosity, kinematic	: No data available.	
Viscosity, dynamic	: No data available.	
Explosive properties	: No data available.	
Oxidising properties	: No data available.	
Explosive limits	: No data available.	

9.2. **Other information**

No additional information available

SECTION 10: Stability and reactivity			
10.1.	Reactivity		
No dangerous reaction known under conditions of normal use.			
10.2.	Chemical stability		
Stable under normal storage conditions. May form flammable/explosive vapour-air mixture.			
10.3.	Possibility of hazardous reactions		
No dangerous reaction known under conditions of normal use.			
10.4.	Conditions to avoid		
Heat. Incompatible materials. Open flame.			
10.5.	Incompatible materials		
Acids. Amines. Bases. Oxidizers.			
10.6.	Hazardous decomposition products		
May include, and are not limited to: oxides of carbon.			

SECTION 11: Toxicological information		
11.1. Information on toxicological effects		
Acute toxicity	: Not classified	
SP4655		
LD50 oral rat	> 2000 mg/kg	
LD50 dermal rabbit	> 2000 mg/kg	
LC50 inhalation rat (mg/l)	> 20 mg/l/4h	
Acetone (67-64-1)		
LD50 oral rat	5800 mg/kg	
LC50 inhalation rat (mg/l)	50100 mg/m³/8h	



Safety Data Sheet according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

n-Heptane (142-82-5)	
LD50 dermal rabbit	3000 mg/kg
LC50 inhalation rat (mg/l)	103 g/m³/4h
Xylenes (o-, m-, p- isomers) (1330-20-7)	
LD50 oral rat	4300 mg/kg
LD50 dermal rabbit	> 1700 mg/kg
LC50 inhalation rat (ppm)	5000 ppm/4h
LC50 inhalation rat (mg/l)	47635 mg/l/4h
Toluene (108-88-3)	
LD50 oral rat	> 5000 mg/kg
LD50 dermal rat	12124 mg/kg
LD50 dermal rabbit	8390 mg/kg
LC50 inhalation rat (mg/l)	28.1 mg/l/4h
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitisation	: Based on available data, the classification criteria are not met.
Germ cell mutagenicity	: Based on available data, the classification criteria are not met.
Carcinogenicity	: Based on available data, the classification criteria are not met.
Xylenes (o-, m-, p- isomers) (1330-20-7)	
IARC group	3
Toluene (108-88-3)	
IARC group	3
Reproductive toxicity	: Suspected of damaging the unborn child.
Specific target organ toxicity (single exposure)	: May cause drowsiness or dizziness.
Specific target organ toxicity (repeated exposure)	: May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard	: May be fatal if swallowed and enters airways.
Symptoms/injuries after inhalation	: May cause drowsiness, dizziness and central nervous system depression. May cause respiratory irritation.
Symptoms/injuries after skin contact	: Causes skin irritation. Symptoms may include redness, edema, drying, defatting and cracking of the skin.
Symptoms/injuries after eye contact	: Causes serious eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva.
Symptoms/injuries after ingestion	: May be fatal if swallowed and enters airways. This product may be aspirated into the lungs and cause chemical pneumonitis. May cause stomach distress, nausea or vomiting.

SECTION 12: Ecological information		
12.1. Toxicity		
Ecology – general	: May cause long-term adverse effects in the aquatic environment.	
12.2. Persistence and degradability		
SP4655		
Persistence and degradability	Not established.	
12.3. Bioaccumulative potential		
SP4655		
Bioaccumulative potential	Not established.	
12.4. Mobility in soil		
No additional information available		
12.5. Other adverse effects		
No additional information available		
SECTION 13: Disposal considerations		
13.1. Waste treatment methods		
Waste disposal recommendations	: This material must be disposed of in accordance with all local, state, provincial, and federal regulations. The generation of waste should be avoided or minimized wherever possible.	
Additional information	: Handle empty containers with care because residual vapours are flammable.	



Safety Data Sheet according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

SECTION 14: Transport information	
In accordance with DOT	
14.1. UN number	
UN-No.	: UN1993
14.2. UN proper shipping name	
Proper Shipping Name	: Flammable liquids, n.o.s. (Acetone, Heptane)
Department of Transportation Hazard Classes	: 3
Hazard labels	
Packing group (DOT)	: II
14.3. Additional information	
Other information	: No supplementary information available.
Special transport precautions	: Do not handle until all safety precautions have been read and understood.

SECTION 15: Regulatory information	

15.1. US Federal regulations

This product is not for sale in the following states: CA, UT, NH, DE, MD


Acetone (67-64-1)				
Listed on the United States TSCA (Toxic Substances Control Act) inventory				
EPA TSCA Regulatory Flag	T - T - indicates a substance that is the subject of a Section 4 test rule under TSCA.			
Heptane, branched, cyclic and linear (426260-	76-6)			
Listed on the United States TSCA (Toxic Substan	ces Control Act) inventory			
n-Heptane (142-82-5)				
Listed on the United States TSCA (Toxic Substances Control Act) inventory				
EPA TSCA Regulatory Flag	T - T - indicates a substance that is the subject of a Section 4 test rule under TSCA.			
Xylenes (o-, m-, p- isomers) (1330-20-7)				
Listed on the United States TSCA (Toxic Substances Control Act) inventory Listed on SARA Section 313 (Specific toxic chemical listings)				
SARA Section 313 - Emission Reporting	1.0 %			
Toluene (108-88-3)				
Listed on the United States TSCA (Toxic Substances Control Act) inventory Listed on SARA Section 313 (Specific toxic chemical listings)				
SARA Section 313 - Emission Reporting	1.0 %			
15.2. US State regulations				
SP4655				
State or local regulations	This product contains chemicals known to the State of California to cause cancer, birth defects or other reproductive harm.			
SOURCE AGENCY CARCINOGEN CLASSIFICA	TIONS:			

IARC	International Agency for Research on Cancer.
	 Carcinogenic to humans; Probably carcinogenic to humans; Possibly carcinogenic to humans; Not classifiable; Probably not carcinogenic to humans.
NTP	National Toxicology Program.
	 Evidence of Carcinogenicity; Known Human Carcinogens; Reasonably anticipated to be Human Carcinogen; Substances delisted from report on Carcinogens; Twelfth Report - Items under consideration.

SECTION 16: Other information			
Indication of changes	:	None.	
Date of issue	:	03/28/2014	
Other information	:	None.	
03/28/2014		EN (English)	6/7

Safety Data Sheet according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

NFPA health hazard	:	2
NFPA fire hazard	:	3
NFPA reactivity	:	0



This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

