# **Safety Data Sheet**

Issue Date: 20-Oct-2012 Revision Date: 23-April-2015 Version 1 **1. IDENTIFICATION** Product Identifier **Product Name** Service Pro Automatic Transmission Fluid Multi-Purpose ATF Other means of identification SDS # SP-013, SP16693, SPL16693, SPL26693, SPL36693, SPL56693, SPL00220, SPL00221 **Synonyms** Recommended use of the chemical and restrictions on use **Recommended Use** Automatic transmission fluid. Details of the supplier of the safety data sheet Supplier Address Warren Oil Company 915 E. Jefferson Ave. West Memphis, AR 72301 Manufactured for: AIOD P.O. BOX 1861 Montrose, CO 81402-1861 970-249-6336 www.service-pro.com **Emergency Telephone Number Company Phone Number** 1-870-400-3020 **Emergency Telephone (24 hr)** INFOTRAC 1-352-323-3500 (International) 1-800-535-5053 (North America) 2. HAZARDS IDENTIFICATION Appearance Red liquid Physical State Liquid at room Odor Petroleum temperature Classification This chemical does not meet the hazardous criteria set forth by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200). However, this Safety Data Sheet (SDS) contains valuable information critical to the safe handling and proper use of this product. This SDS should be retained and available for employees and other users of this product. 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### Synonyms

Coastal D/M Automatic Transmission Fluid.

Chemical Name	CAS No	Weight-%
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	90-100

\*\*If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.\*\*

## 4. FIRST-AID MEASURES

First Aid Measures	
Eye Contact	IMMEDIATELY flush eyes with running water for at least 15 minutes, keeping eyelids open. Seek medical attention.
Skin Contact	No treatment is necessary under ordinary circumstances. Remove contaminated clothing. Wash contaminated area thoroughly with soap and water. If redness or irritation occurs and persists, seek medical attention. WARNING: Oil injected into the skin from high pressure leaking hydraulic systems can cause severe damage. Most damage occurs during the first few hours. Seek medical attention immediately. Surgical removal of oil may be necessary.
Inhalation	Remove to fresh air. If not breathing, give artificial respiration, preferably mouth to mouth. If breathing is difficult give oxygen. Get medical attention.
Ingestion	If swallowed, DO NOT induce vomiting because of danger of aspirating liquid into lungs. Seek medical attention.

#### Most important symptoms and effects

SymptomsThis product is irritating to the eyes. This product may cause irritation to the skin. Prolonged<br/>and/or repeated skin contact with this product may cause irritation/dermatitis. Inhalation of<br/>oil mists or fumes can cause irritation of the nose, throat and upper respiratory tract.<br/>Repeated and prolonged overexposure to oil mists may result in droplet deposition, oil<br/>granuloma formation, inflammation and increased incidence of infection. If this product is<br/>heated over 70 C (155 F) in the presence of water, hydrogen sulfide may be released.<br/>Hydrogen sulfide is irritating to the eyes and respiratory system. Continued overexposure<br/>may cause respiratory collapse, coma and death without necessarily any warning odor<br/>being sensed.

#### Indication of any immediate medical attention and special treatment needed

Notes to Physician

Treat symptomatically.

## **5. FIRE-FIGHTING MEASURES**

#### Suitable Extinguishing Media

Dry chemical, foam, carbon dioxide, water fog.

Unsuitable Extinguishing Media Not determined.

#### Specific Hazards Arising from the Chemical

Direct water spray or foam may cause frothing and spattering.

**Hazardous Combustion Products** Upon decomposition this product may yield oxides of boron, calcium, magnesium, phosphorous, zinc, sulfur including hydrogen sulfide and nitrogen as well as carbon monoxide, carbon dioxide and/or other low molecular weight hydrocarbons.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Use water to cool fire-exposed containers and to protect personnel.

## 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

#### **Personal Precautions** Persons not wearing protective equipment should be excluded from area of spill until cleanup has been completed. Eliminate all sources of ignition or flammables that may come into contact with a spill of this material. Surfaces may become slippery after spillage. Wear appropriate protective equipment and clothing during clean-up. Do not allow the spilled product to enter public drainage systems or open water courses.

Environmental Precautions	See Section 12 for additional Ecological Information.				
Methods and material for containment and cleaning up					
Methods for Containment	Stop the flow of material, if this is without risk.				
Methods for Clean-Up	Absorb with non-flammable suitable absorbent such as sand or earth. Scoop up used absorbent into drums or other appropriate container.				
	7. HANDLING AND STORAGE				
Precautions for safe handling					
Advice on Safe Handling	Avoid getting this material into contact with your eyes. Avoid prolonged or repeated skin contact with this material. Avoid the generation of oil mists. Wash thoroughly after handling. Use this product with adequate ventilation.				
Conditions for safe storage, inclue	ding any incompatibilities				
Storage Conditions	Do not store near heat, sparks, open flame or strong oxidizing agents. Do not store this material in open or unlabeled containers. "Empty" containers retain product residue (liquid and/or vapor) and can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, static electricity, or other sources of ignition; they may explode.				
Incompatible Materials	This product may react with strong oxidizing agents.				
8. EXPOSURE CONTROLS/PERSONAL PROTECTION					
Exposure Guidelines	This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies				
Appropriate engineering controls					
Engineering Controls	Use general ventilation and use local exhaust, where possible, in confined or enclosed spaces. If product is heated above 70 C (155 F) in the presence of water, hydrogen sulfide vapors may be released. Ventilation should be sufficient to keep hydrogen sulfide levels below recommended exposure limits. Eye wash fountains are recommended.				
Individual protection measures, su	uch as personal protective equipment				
Eye/Face Protection	Wear safety glasses. Wear chemical goggles or face shield if splash or mist occurs.				
Skin and Body Protection	Use impervious gloves for prolonged contact. Wear oil-impervious garments if contact is unavoidable.				
Respiratory Protection	If mist is generated (heating, spraying) and engineering controls are not sufficient, wear approved organic vapor respirator suitable for oil mist.				
General Hygiene Considerations Use good hygiene when handling petroleum product. Launder contaminated clothing before reuse. Excessive misting may cause slippery floors - wear appropriate footwear.					

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State	Liquid at room temperature		
Appearance	Red liquid	Odor	Petroleum
Color	Red	Odor Threshold	Not determined
Property	Values	Remarks • Method	
Hq	Not available		
Melting Point/Freezing Point	Not applicable		
Boiling Point/Boiling Range	Not available		
Flash Point	204 °C / 400 °F	Cleveland Open Cup	
Evaporation Rate	Not determined	Oleveland Open Oup	
•	Liquid-Not applicable		
Flammability (Solid, Gas)			
Upper Flammability Limits	Not available		
Lower Flammability Limit	Not available		
Vapor Pressure	Not available		
Vapor Density	Not available		
Specific Gravity	0.86	at 15.6°C (60°F)	
	N a stimilate	at 15.0 C (00 T )	
Water Solubility	Negligible		
Solubility in other solvents	Not determined		
Partition Coefficient	Not determined		
Auto-ignition Temperature	Not available		
Decomposition Temperature	Not determined		
Kinematic Viscosity	Not available		
Dynamic Viscosity	Not available		
Explosive Properties	Not determined		
Oxidizing Properties	Not determined		
externing i reportiou			

# **10. STABILITY AND REACTIVITY**

## Reactivity

Not reactive under normal conditions.

#### Chemical Stability

Stable under recommended storage conditions.

#### **Possibility of Hazardous Reactions**

None under normal processing.

**Hazardous Polymerization** 

Under normal conditions of storage and use, hazardous polymerization will not occur.

#### Conditions to Avoid

Avoid formation of mists.

#### **Incompatible Materials**

This product may react with strong oxidizing agents.

#### Hazardous Decomposition Products

Decomposition of this product may yield oxides of boron, calcium, magnesium, nitrogen, phosphorus, sulfur including hydrogen sulfide and zinc as well as carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.

## **11. TOXICOLOGICAL INFORMATION**

#### Information on likely routes of exposure

 Product Information

 Eye Contact
 Avoid contact with eyes.

 Skin Contact
 Avoid contact with skin.

Inhalation Do not inhale.

Ingestion Do not ingest.

#### Component Information

#### Information on physical, chemical and toxicological effects

Symptoms Please see section 4 of this SDS for symptoms.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity This product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.

#### Numerical measures of toxicity

Not determined

## **12. ECOLOGICAL INFORMATION**

#### Ecotoxicity

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

#### Component Information

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Petroleum distillates,		5000: 96 h Oncorhynchus		1000: 48 h Daphnia magna
hydrotreated heavy paraffinic		mykiss mg/L LC50		mg/L ÉC50
64742-54-7				_

#### Persistence/Degradability

Not determined.

#### **Bioaccumulation**

Not determined.

Mobility Not determined

#### Other Adverse Effects

Not determined

## **13. DISPOSAL CONSIDERATIONS**

#### Waste Treatment Methods

Disposal of Wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.	
Contaminated Packaging	Disposal should be in accordance with applicable regional, national and local laws and regulations.	
14. TRANSPORT INFORMATION		

Note

Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.

DOT	Not regulated

IATA Not regulated

IMDG Not regulated

## **15. REGULATORY INFORMATION**

## International Inventories

Chemical Name	TSCA	DSL	NDSL	EINECS	ELINCS	ENCS	IECSC	KECL	PICCS	AICS
Petroleum distillates,	Present	Х		Present		Present	Х	Present	Х	Х
hydrotreated heavy paraffinic										

#### Legend:

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

#### US Federal Regulations

#### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

#### SARA 311/312 Hazard Categories

Acute Health Hazard	No
Chronic Health Hazard	No
Fire Hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

## SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

#### CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

#### US State Regulations

#### California Proposition 65

This product does not contain any Proposition 65 chemicals.

#### U.S. State Right-to-Know Regulations

This product does not contain any substances regulated under applicable state right-to-know regulations

16. OTHER INFORMATION					
NFPA_	Health Hazards 0	Flammability	<b>Instability</b> 0	Special Hazards	
HMIS	Health Hazards	Flammability 1	<b>Physical Hazards</b> 0	Personal Protection Not determined	
Issue Date: Revision Date: Revision Note:	20-Oct-2012 23-April-2015 New format				

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**